




This series boasts a unique play of light, with sharp contours complemented by special filters. Beyond illuminating the space, the light takes on an artistic role, sculpting diverse and captivating forms.

此系列展現獨特的光影魅力，清晰的輪廓線條搭配獨特的濾片，讓光不僅為空間帶來照明，更能塑造出多變的藝術造型。

# Claro






# D124-1

## Claro Series



- White 白
- ● White+Rose Golden 白色+玫瑰金
- ● White+Black Chrome 白色+黑鉻
- ● White+Bronze 白色+青銅
- ● White+Black 白色+黑

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications


輸入電壓:100-240V 50/60Hz  
 功率:10W  
 光通量:920lm  
 材質:鋁  
 光束角:85°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:100-240V 50/60Hz  
 Power:10W  
 Luminous Flux:920lm  
 Material:Aluminum  
 BA.:85°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

### 配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	617	2.9
2	154	11.7
3	68	26.3
4	38	46.8
5	24	73.2

### 彩色濾片/Color Filters




# D124-2

## Claro Series



- White 白
- ● White+Rose Golden 白色+玫瑰金
- ● White+Black Chrome 白色+黑鉻
- ● White+Bronze 白色+青銅
- ● White+Black 白色+黑

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications


輸入電壓:100-240V 50/60Hz  
 功率:10W  
 光通量:920lm  
 材質:鋁  
 光束角:85°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:100-240V 50/60Hz  
 Power:10W  
 Luminous Flux:920lm  
 Material:Aluminum  
 BA.:85°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

### 配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	617	2.9
2	154	11.7
3	68	26.3
4	38	46.8
5	24	73.2

### 彩色濾片/Color Filters






## S55-1

### Claro Series



- Rose Golden 玫瑰金
- Black Chrome 黑鉻
- Bronze 青銅
- White 白
- Black 黑

#### 線圖/Dimensions



#### 調光控制系統/Dimming Control



定電流  
non-dim



可控硅  
Triac



0-10V



DALI



Aco Smart

#### 規格/Technical Specifications

輸入電壓:100-240Vac 50/60Hz

功率:10W

光通量:850lm

材質:鋁

光束角:80°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240Vac 50/60Hz

Power:10W

Luminous Flux:850lm


Material:Aluminum

BA.:80°

CRI:≥90


CCT:2700K/3000K/4000K/Tunable

#### 配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	638	2.4
2	159	9.5
3	70	21.4
4	40	38.1
5	25	59.5

#### 彩色濾片/Color Filters



Indigo Purple  
幽藍紫



Lagoon Blue  
湖藍紫



Sunset Red  
夕陽紅




# W35-1

## Claro Series



- Rose Golden 玫瑰金
- Black Chrome 黑鉻
- Bronze 青銅
- White 白
- Black 黑

### 線圖/Dimensions




### 調光控制系統/Dimming Control



### 規格/Technical Specifications

輸入電壓:100-240V 50/60Hz  
 功率:10Wx2  
 光通量:920lmx2  
 材質:鋁  
 光束角:85°  
 顯示指數:≥90  
 色溫:2700K/3000K/4000K/雙色溫  
 Input Voltage:100-240V 50/60Hz  
 Power:10Wx2  
 Luminous Flux:920lmx2  
 Material:Aluminum  
 BA.:85°  
 CRI:≥90  
 CCT:2700K/3000K/4000K/Tunable

### 配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	606	2.8
2	151	11.3
3	67	25.3
4	37	45.0
5	24	70.4

### 彩色濾片/Color Filters



Indigo Purple  
幽藍紫



Lagoon Blue  
湖藍紫



Sunset Red  
夕陽紅

