

Cubie





S40

Zoomable-wide angle
伸縮 - 大角度

S40-3

Super narrow
極窄角

S40

Zoomable-narrow angle
伸縮 - 小角度

S40-1

Narrow/ midium angle
定焦

S40-2

Asymmetric wallwash
偏光洗牆

The Cubie series offers multiple angles to choose from and allows for customizing exclusive lighting effects, making the space more layered.

Cubie 系列有多種角度可供選擇，定制專屬的燈光效果，讓空間更富有層次。


S40

Cubie Series



- 黑色/Black
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:35W

光通量:2200lm

材質:鋁

光束角:20°-58°

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:100-240V 50/60Hz

Power:35W

Luminous Flux:2200lm


Material:Aluminum

BA.:20°-58°

CRI:≥90

CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光學模組/Optical Modules



可調焦
Zoomable



洗牆
Wallwash



定焦
Fixed angle



極窄角
Super narrow

配件/Changeable Side Cover



黑
Black



白
White



深木紋
Red
wood grain



淺木紋
Shallow
wood grain




S40-1

Cubie Series



- 黑色/Black
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:35W

光通量:2300lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:100-240V 50/60Hz

Power:35W

Luminous Flux:2300lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



光學模組/Optical Modules



可調焦
Zoomable



洗牆
Wallwash



定焦
Fixed angle



極窄角
Super narrow

配件/Changeable Side Cover



黑
Black



白
White



深木紋
Red
wood grain



淺木紋
Shallow
wood grain




S40-2

Cubie Series



- 黑色/Black
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:35W

光通量:2100lm

材質:鋁

光束角:偏光洗牆

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:100-240V 50/60Hz

Power:35W

Luminous Flux:2100lm


Material:Aluminum

BA.:Asymmetric wallwash

CRI:≥90

CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	880	2.5
2	220	9.9
3	97	22.2
4	55	39.5
5	35	61.7

光學模組/Optical Modules



可調焦
Zoomable



洗牆
Wallwash



定焦
Fixed angle



極窄角
Super narrow

配件/Changeable Side Cover



黑
Black



白
White



深木紋
Red
wood grain



淺木紋
Shallow
wood grain




S40-3

Cubie Series



- 黑色/Black
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:22W

光通量:1700lm

材質:鋁

光束角:8°

顯示指數:≥90

色溫:2700K/3000K/4000K

Input Voltage:100-240V 50/60Hz

Power:22W

Luminous Flux:1700lm


Material:Aluminum

BA.:8°

CRI:≥90

CCT:2700K/3000K/4000K

配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	35217	0.02
2	8804	0.1
3	3913	0.2
4	2201	0.3
5	1408	0.4

光學模組/Optical Modules



可調焦
Zoomable



洗牆
Wallwash



定焦
Fixed angle



極窄角
Super narrow

配件/Changeable Side Cover



黑
Black



白
White



深木紋
Red
wood grain



淺木紋
Shallow
wood grain

