

With its outstanding wall-washing effect, this light stands out by brilliantly illuminating entire walls, setting a new standard in wall-washing excellence.

以其卓越的洗牆效果脫穎而出，能夠極致照亮整面牆

D51

D50

Mondo


D50

Mondo Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:15W

光通量:840lm

材質:鋁

光束角:偏光洗牆

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:15W

Luminous Flux:840lm


Material:Aluminum

BA.:Asymmetric wallwash

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	396	0.9
2	99	3.4
3	44	7.7
4	25	13.7
5	16	21.4


D51

Mondo Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:15W

光通量:840lm

材質:鋁

光束角:偏光洗牆

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:15W

Luminous Flux:840lm


Material:Aluminum

BA.:Asymmetric wallwash

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern



H(m)	En(lx)	S(sq.m)
1	396	0.9
2	99	3.4
3	44	7.7
4	25	13.7
5	16	21.4