



D15-5

D15-6

D15-7

Featuring a unique radiator design for elegant aesthetics, highlighted by distinctive ridges that accentuate its exceptional qualities.

獨特的散熱器設計呈現優雅美學，特殊的筋位凸顯其獨特之處。

D15-3

D15-2

D15-1

Verta



1 驅動 Drive

高智能IC驅動,高精度智能控制電流,質量穩定。
High intelligent IC drive, high-precision intelligent current control, and stable quality.



2 外觀 Exterior

燈具圖層精細,確保燈體外觀顏色經久耐用。
顏色可選白色、黑色和鈦灰。
The lamp layers are exquisitely crafted to ensure long-lasting colors for the lamp's appearance. Colors are available in white, black, and titanium gray.



3 高品質LED High quality LED

超高顯指Ra > 90,提供高保真的光線及對被照物體的最佳色彩還原性,并且確保燈與燈之間的色溫統一性。
The ultra-high display index Ra 90 provides high-fidelity light and the best color reproduction for illuminated objects, while ensuring the color temperature uniformity between lamps.




D15-1 Verta Series



●○ 青灰色+白色/Grey+White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控硅
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:8W

光通量:760lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:8W

Luminous Flux:760lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D15-2 Verta Series



●○ 青灰色+白色/Grey+White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:18W

光通量:1650lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:18W

Luminous Flux:1650lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D15-3 Verta Series



●○ 青灰色+白色/Grey+White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:28W

光通量:2200lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:28W

Luminous Flux:2200lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D15-4 Verta Series



● ○ 青灰色+白色/Grey+White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控硅
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:36W

光通量:2700lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:36W

Luminous Flux:2700lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D15-5 Verta Series



● ○ 灰色+白色/Grey+White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:8W

光通量:760lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:8W

Luminous Flux:760lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D15-6 Verta Series



● ○ 灰色+白色/Grey+White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:18W

光通量:1650lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:18W

Luminous Flux:1650lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D15-7 Verta Series



● ○ 灰色+白色/Grey+White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:28W

光通量:2200lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:28W

Luminous Flux:2200lm


Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




D15-8 Verta Series



● ○ 灰色+白色/Grey+White

線圖/Dimensions



調光控制系統/Dimming Control



定電流
non-dim



可控矽
Triac



0-10V



DALI



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:36W

光通量:2700lm

材質:鋁

光束角:15°/24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:36W

Luminous Flux:2700lm

Material:Aluminum

BA.:15°/24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern

