



S61-4

S60

S58

S59

Mobi

The MOBI series stands out for its unique and versatile features, offering logo projection, wall washing, zooming, and foundational illumination a flexible choice for diverse lighting needs.

以其獨特的多元功能，MOBI系列脫穎而出。不僅擁有切光、Logo光影等特點，還能實現洗牆、變焦和基礎照明，成為滿足各種照明需求極具彈性的選擇。


S58

Mobi Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



Non-dim



0-10V



DALI



Triac



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

LED功率:12W

光通量:700lm

材質:鋁

光束角:17°-45°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

LED Power:12W

Luminous Flux:700lm


Material:Aluminum

BA.:17°-45°

CRI:≥90


CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern



S59**Mobi Series**

- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions**調光控制系統/Dimming Control**

Non-dim



0-10V



DALI



Triac



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:12W

光通量:750lm

材質:鋁

光束角:24°/36°

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:12W


Luminous Flux:750lm

Material:Aluminum

BA.:24°/36°

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern


S60

Mobi Series



- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions



調光控制系統/Dimming Control



Non-dim



0-10V



DALI



Triac



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:12W

光通量:510lm

材質:鋁

光束角:偏光洗牆

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:12W

Luminous Flux:510lm


Material:Aluminum

BA.:Asymmetric wallwash

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern




H(m)	En(lx)	S(sq.m)
1	693	0.5
2	173	2.1
3	77	4.6
4	43	8.2
5	27	12.9



S61-4**Mobi Series**

- 黑色/Black
- 灰色/Grey
- 白色/White

線圖/Dimensions**調光控制系統/Dimming Control**

Non-dim



0-10V



DALI



Triac



Aco Smart

規格/Technical Specifications

輸入電壓:100-240V 50/60Hz

功率:12W

光通量:720lm

材質:鋁

光束角:投影燈

顯示指數:≥90

色溫:2700K/3000K/4000K/雙色溫

Input Voltage:100-240V 50/60Hz

Power:12W


Luminous Flux:720lm

Material:Aluminum

BA.:Gobo Light

CRI:≥90

CCT:2700K/3000K/4000K/Tunable

配光曲線圖/Light pattern

H(m)	En(lx)	S(sq.m)
1	2791	0.2
2	697	0.9
3	310	2.0
4	174	3.5
5	111	5.4

Unit
單位: 米 Meter